

# Description of real authors with biblatex

New data field

Maïeul Rouquette      Version 2.7.1a  
maieul <at> maieul <dot> net      19/11/2017

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>	<b>3</b>	<b>Disable realauthor use</b>	<b>4</b>
<b>2</b>	<b>Basic use</b>	<b>1</b>	<b>4</b>	<b>Customization</b>	<b>5</b>
2.1	Requirement . . . . .	1	5	Use with biblatex-manuscripts-	
2.2	The .bib file . . . . .	1	philology	philology	5
2.3	Loading of the biblatex		6	Credits	5
package . . . . .		3	7	Change history	6
2.4	Example of result . . . . .	3			
2.5	Labelname field . . . . .	4			
2.6	Sorting . . . . .	4			

## 1 Introduction

The standard biblatex fields allow to describe the author of a work, with the so called authors field. However, some works are published without name, or with pseudonyme, but the scholars know the real author. This package adds a new field `realauthor`, to specify the knew real author.

It also add a new field `realeditor`, to specify the knew real editor.

## 2 Basic use

### 2.1 Requirement

The packages require biblatex 3.5 or later.

### 2.2 The .bib file

Basically, you just have to add the real author / editor name in the field `realauthor` / `realeditor`, like in the following examples:

```
@book{LeClerc1686,  
    Publisher = {Henry Desbordes},  
    Realauthor = {Jean le Clerc},  
    Title = {Défense des sentimens}
```

```
De quelques Théologiens de Hollande  
sur l'histoire critique du Vieux Testament  
contre la réponse du Prieur de Bolleville},  
Year = {1686}}
```

```
@book{Simon1686,  
    Address = {Rotterdam},  
    Author = {{Prieur de Bolleville}},  
    Publisher = {Reinier Leers},  
    Realauthor = {Richard Simon},  
    Title = {Réponse au livre intitulé  
        sentimens de quelques Theologiens de Hollande  
        sur l'Histoire Critique du Vieux Testament},  
    Year = {1686}}
```

```
@book{Nausea1531,  
    Address = {Cologne},  
    Pagination = {folio},  
    Publisher = {Quentel},  
    Realeditor = {Friedrich Nausea},  
    Title = {Anonymi Philalethi Eusebiani in vitas, miracula,  
        → passionesque Apostolorum Rhapsodiae},  
    Year = {1531}  
}  
@book{noauthor-norealauthor,  
    Title = {Here an anonymous work},  
}
```

```
@book{noauthor-norealauthor2,  
    Title = {Why not an other anonymous work?},  
}
```

```
@book{Author+realauthor,  
    Author = {Theauthor-Familyname, Given-name},  
    Realauthor= {Therealauthor-Familyname, Given-Name},  
    Title = {That is a work with an author plus a real author},  
}
```

```
@book{only-realauthor,  
    Realauthor= {Therealauthor-Familyname, Given-Name},
```

```
Title = {Here a work with only a real author},  
}
```

## 2.3 Loading of the biblatex package

When loading the biblatex package, use the `realauthor` bibstyle, which is based on the `verbose` bibstyle:

```
\usepackage[citestyle=verbose,bibstyle=realauthor]{biblatex}
```

Not that the package patches some bibmacro. If you redefine them, don't forget the patches<sup>1</sup>. Here the list of macro patched:

- `author`;
- `author/editor+others`;
- `author/translator+others`;
- `author/editor+others/translator+others`;
- `bbx:editor`;
- `byeditor`;
- `byeditor+others`;
- `cite:name` (patched at the beginning of the document);

## 2.4 Example of result

By default, the real author name is printed in brackets, with an equal, between fine non-break spaces, when a pseudonym is also use:

[Jean le Clerc]. *Défense des sentimens De quelques Théologiens de Hollande sur l'histoire critique du Vieux Testament contre la réponse du Prieur de Bolleville.*  
Henry Desbordes, 1686

Prieur de Bolleville [=Richard Simon]. *Réponse au livre intitulé sentimens de quelques Théologiens de Hollande sur l'Histoire Critique du Vieux Testament.*  
Rotterdam: Reinier Leers, 1686

---

<sup>1</sup>We suppose that, if you redefine them, you could understand the packages.

## 2.5 Labelname field

This package, since version 2.0.0, declares the `realauthor` name as the `labelname`, if a `author` name is not defined.

That implies this field is use for:

- Sorting.
- *ibid / op. cit* abreviation.

Note that this field is not affected by `useauthor` option, but it is by `userealauthor` option § 3.

Used in a bibliography macro or driver, `\ifuserealauthor{\langle true \rangle}{\langle false \rangle}` expands to `\langle true \rangle` if the `userealauthor` option is enabled (either globally or for the current entry), and `\langle false \rangle` otherwise.

There is also a `userealeditor` option and a `\ifuserealeditor` field, similar, but for `realeditor` field.

## 2.6 Sorting

The default sorting schemes `nty` is problematic, because it doesn't consider the `realauthor` field as a name. That is why the package provides two sorting scheme:

- `realauthor`, which but considers the `realauthor` and `realeditor` fields to sort list by authors' name. If an entry has both `realauthor` and `author`, only the `author` field will be used.
- `anonymous+realauthor`, which push the anonymous texts at the beginning of the list (as the anonymous sorting of the *biblatex-anonymous+* package), but considers the `realauthor` and `realeditor` fields to sort list by authors' name (as the `realauthor` sorting).

See the example file to have an illustration.

+The package also provides `realauthor+manuscripts` and `realauthor+anonymous+manuscripts` sorting schemes to use in combination with the *biblatex-manuscripts-philology* package (please read handbook of this package for more details about it).

## 3 Disable realauthor use

The package, or rather `biblatex`, defines an `userealauthor` option, which can be settable on a per-entry basis in the `options` field, or by `entrytype`, using `\ExecuteBibliographyOptions`, or globally, when loading `biblatex`.

This option, when set to false:

- Disable use of `realauthor` as label name.
- Disable use of `realauthor` for sorting.
- Before the version 2.4.0. with the default style, and contrary to the `useauthor` option, also disabled printing of `realauthor`. From version 2.4.0, if you don't want to print the field, don't use the package....

The same is true for `realeditor` option for the `realeditor`.

## 4 Customization

You can redefine the `\mkrealauthor` command to change the way the real author name is printed. Default value is:

```
\newcommand{\mkrealauthor}[1]{\mkbibbrackets{#1}}
```

You can also redefine the `\realauthorequalsign` command to change the sign before the real author name when a pseudonym is also used. Default value is:

```
\newcommand{\realauthorequalsign}{\addnbthinspace=\addnbthinspace}
```

There are also `\mkrealeditor`, which by default calls `\mkrealauthor`, and `\realeditorequalsign`, which by default calls `\realauthorequalsign`.

For more customization, you have to redefine the macros defined in `realauthor.bbx`.

## 5 Use with biblatex-manuscripts-philology

To use this package with the features of `biblatex-manuscripts-philology`, you must use the package `biblatex-multiple-dm`.

## 6 Credits

This package was created for Maïeul Rouquette's phd dissertation<sup>2</sup> in 2014. It is licensed on the *ETEX Project Public License*<sup>3</sup>.

All issues can be submitted, in French or English, in the GitHub issues page<sup>4</sup>.

---

<sup>2</sup><http://apocryphes.hypotheses.org>.

<sup>3</sup><http://latex-project.org/lppl/lppl-1-3c.html>.

<sup>4</sup><https://github.com/maieul/biblatex-realauthor/issues>.

## 7 Change history

### 2.7.1a 2017-11-19

Add compatibility with biblatex 3.8

### 2.7.0 2016-10-23

New sorting schemes.

### 2.6.0 2016-09-08

Take account of `realauthor` to manage dash in bibliography.

Require biblatex 3.5.

### 2.5.0 2016-06-09

Add error message to know more quickly break compatibility with new releases of biblatex.

### 2.4.1 2016-06-07

Fix bug with abbreviated form of citation.

### 2.4.0 2016-06-05

Add `realeditor`.

Restores normal behavior of `userealauthor`.

Takes account of the real names when choosing to print a dash in the final bibliography.

Requires biblatex 3.3.

### 2.3.0 2016-03-11

Compatibility with biblatex 3.3.

### 2.2.1 2016-02-28

Correct description of datamodel specification about which entrytype can have a `realauthor` field.

### 2.2.0 2015-04-26

Add new `userealauthor` option. Require biblatex 3.0. . . . . 3

Provides good file version in the `\ProvidesFile` command.

### 2.1.0 2014-10-30

Add new `realauthor` sorting scheme. . . . . 2.6

2.0.0 2014-10-27

Print the realauthor name in bracket when cited in a abreviated form.

1.1.0 2014-10-09

In a bibliographical list, print the last name before the first name of a real author, except if a author is defined.

Compatibility with @article entry.

1.0.0 2014-06-25

First public release.